Brewster,
FYI. Let
me hurssistant
youthink!
Seam



Advanced Digital Systems

| FAX FOR: | Dearma | Alebu | PAGES: 2/7/ | 1 |
|------------|----------------|-------------|-------------|---|
| FROM: Alfi | red Bantug, 80 | 00-888-5244 | | |

TO ORDER, PLEASE CALL OUR DEALERS:

PC CONNECTION (800)800-1111 USA FLEX (801)800-444-4900

VGA TO TV

TV ELITE EXTERNAL w/ REMOTE MOUSE FREE - Connect PC'S to any TV. Very good flicker free quality in WINDOWS, DOS and OS/2. Bundled with a REMOT! MOUSE, SLIDEWORKS PRESENTATION SOFTWARE, 65 Presentation Tools, 640x480 up to 24 B T(16.7MILLION Colors) Only.

LIST PRICE: \$ 329 UPC#7-57887-23418-8 PART#FFN104E

TV ELITE INTERNAL w/ PRESENTATION TOOLS - Internal 'rersion of TV ELITE, provides the same flicker free quality. Does not come with the MOUSE. Bundled w/ Presentation Tools.

LIST PRICE: \$ 299 UPC#7-57887-11120-5 PART#FCN1021

GAME ZAPPER Bundled w/ DOOM - DOS Only version of the TV ELITE for the DOS GAMING Market.

Bundled with the BEST SELLING Game DOOM. Connex is to any TV. GAMES on your TV! For DOS programs ONLY, Works up to 640x480x256 colors.

LIST PRICE: \$ 59 UPC#7-57887-11130-4 PART#DKN105

TV SUPERSCAN - Professional scan converter for the VGA TO \ IDEO market. Convert VGA and record VGA to VCR with Broadcast quality. This is our best quality VGA to VIDEO converter for the professional AV market. No drivers needed to run. Plug and play.

LIST PRICE: \$ 599 UPC#7-57887-10211-1 PART#SFN102

TV ELITE MAC EXTERNAL - Scan converter for MAC POWELBOOKS. Does not need any Software Dirvers to work. Does not come w/ REMOTE MOUSE,

LIST PRICE: \$ 399 UPC#7-57887-11128-1

PART#FCN102M

YIDEO CAPTURE BOARDS

VIDEO ROCK-IT - MPEG Playback card for the PC. Very Good quality MPEG Playback. Nofeature connector necessary. CDI, VIDEO CD, KARAOKE Video Compatible.

LIST PRICE: \$ 319 UPC#7-67887-23416-3 PART#VR101

PC PRIMETIME V9 w/ LIVE MOTION CAPTURE - Watch T' on your PC! Cable TV ready built TV Tuner on board allows you to watch TV on your PC. Plug VCR'S, CAMERA'S and LASERDISK'S too! Provides very good quality STILL FRAME capture 24 BIT, and up to 30 Frames/Second for Live motion video capture. Developers kit available. Compatible with 1 CI VGA Cards.

LIST PRICE: \$ 359 UPC#7-57887-23412-6 PART#PC109

AUDIO BOARDS

RADIO ROCK-IT FM-RDS - Very advanced stereo system for the PC. High end FM Digital Tuner, 5 Band Oraphic Equalizer, SRS Surround Sound Processor, RDS/ IBDS Decode Compatible, Programmable for capture.

LIST PRICE: \$ 329 UPC#7-57887-23419-8 PART#RR100

AUDIO ROCK-IT/PRO 16W CD - Low Cost True 16 BIT, True Stereo Sound Board w/ Wavetable Upgradeability. CD ROM Drive connectors for PANASON C, MITSUMI and SONY Drives. Fully Sound Blaster and Windows Sound System compatible.

LIST PRICE: \$ 99 UPC#7-57887-11705-4

PART#AR1705

MULTIMEDIA PERIPHERAL


REMOTE MOUSE PLUS - Standalone Wireless/Infrared Remote Mouse, Bundled with Presentation tools like zoom, spotlight, hilite and 62 other tools for windows..50 feet range.

LIST PRICE: \$ 149

UPC#7-57887-23419-5

PART#RMS503

If you need further information contact ADS at 800-888-5244. Ask for ALFRED. *Some of our dealers might not stock all ADS products...



RADIO ROCK-IT RDS



RADIO ROCK-IT IS SMART RADIO WITH FM DIGITAL DATA DECODING AND PATENTED SRS 3-D SOUND AUDIO ENHANCEMENT CAPABILITIES TO CREATE THE ULTIMATE STEREO SYSTEM FOR YOUR PC!

FM STEREO RECEIVER

Radio Rock-It RDS is a high fidelity FM Stereo Receiver which utilizes the latest in FM receiver digital tuning technology and specially tuned bandpass filters for low noise, crisp clear high quality audio output.

RBDS "SMART RADIO" DECODER

Radio Rock-It is also an RBDS (Radio Broadcast Data Systems) decoder. Now FM Stations can transmit digital data along with Stereo Audio. Radio Rock-It can receive and decode this digital information to display Station Call letters (i.e. KTWV), station program format such as Rock, Country, Jazz, etc. and other information such as weather reports, traffic reports, song title and artists' name, receive special messages via "Radio Text". You can even scan for your favorite station by program type (Classic Rock, Talk, Classical).

AUDIO ENHANCEMENT

Radio Rock-It can enhance your existing Multimedia Sound System as well. Hear your Audio CD's like never before. Process the sound through the patented SRS (Sound Retrieval System) 3D Stereo Surround Sound processor and tweak the audio to your personal delight with our 5-band graphic equalizer.

RADIO ON DEMAND*

Play your favorite radio program when you want to list n, even if you're not around when they broadcast it. With Radio Rock-It's audio capture capibility, you can listen to your favorite music, draina, talk show or news even if your schedule and the radio station's programs don't match. You're in command with Radio on Demand!

AUDIO ENHANCEMENT

- j Band Graphical Equalizer
- Equalizer Presents: Talk, Jazz and Rock Settings
- On Screen VU Meter
 - Patented SRS 3-D Stereo Sound Enhancement 'Γechnology
- Audio Processor Line Input for MIDE or CD Audio Music to Loop through Audio Processor. Sound enhancement for existing sound cards.
- CD Audio Deck to play your favorite audio CD's with SRS 3-D Stereo Sound


INI UTS\OUTPUTS

Inputs:

Stereo Jack "Line In" from Sound Card or other Aut io Device Antenna

Ou puts:

Stereo Jack Audio Unprocessed Stereo Jack Audio Processed RS-232 Digital RBDS Data Output



RADIO ROCK-IT RDS

FM STEREO SPECIFICATIONS

- FM STEREO DIGITAL TUNER
- Decodes "RBDS" Radio Broadcast Data System signal
- Tuner functions to include: Auto Scan, Seek,
 RDDS Seek, 16 Tuner Presets, Last Station
 Recall, Bass, Treble, Mute & Balance Controls
- Station Memory
- Alarm Clock/ Sleep Timer
- Software Configurable IRQ, DMA
- Playable in Dos or Windows
- Station Strength and RBDS Station Present Indicator
- Stereo Indicator
- Seek to Active RDS Station
- Seek by Format (RDS); i.e. country western, rock, etc.
- Update Time and Date via RDS
- RBDS Radio Text Capture

REQUIREMENTS

IBMI 386DX 33 or better
4 Mb RAM
1 Slot
Microsoft Windows 3.1 or above
DOS 5.0 or above
3 Mb or Hard disk space
Board size: 9"L x 4"H
Povered Multimedia Speakers
Stereo Sound Card not required but
recommended
CT-ROM drive not required but recommended
*Sound card required for Radio on Demand

WHAT YOU GET

Radio Rock-It board
2-Stereo Audio Patch Cables
Dipole Antenna
Radio Rock-It Software
Sound Station Software
II-Logic Receiver Software
User's Manuals

Proudly Manufactured in the United States of America. Each Radio Rock-It card is individually tested and hand tuned for maximum frequency response and the optimal stereo separation to ensure you purchase the highest quality